

信诺联合供应链(青岛)有限公司 SINO UNION SUPPLY CHAIN(QINGDAO)CO.,LTD

华森防护用品(山东)有限公司 SINOSENSE PROTECTIVE EQUIPMENT (SHANDONG) CO., LTD

FACTORY ADDRESS: NO. 14 OF SHANGHAI ROAD FACTORY BUILDING, QIANWAN FREE TRADE PORT, QINGDAO AREA,

CHINA (SHANDONG) PILOT FREE TRADE ZONE

OFFICE ADDRESS: ROOM 7D, BUILDING A, SUNKIN CENTER, NO.2 OF

JIULIANSHAN ROAD, HUANGDAO DISTRICT, QINGDAO, CHINA

POST CODE:266555

WEB:www.sino-coverall.com www.disposableoverall.com

TEL/FAX: 0086-532-68976191 WECHAT: 0086-18561526968 E-MAIL: general@sino-group.net





Coverall Website

Wechat





华森防护用品 SINOSENSE PROTECTIVE

CERTIFICATES

关于我们 About us

Founded in 2010 at Qingdao Free Trade Zone, Sino Union Supply Chain(Qingdao) Co., Ltd. Is a company specializing in production of disposable coverall, lab coat, isolation gown, scrubs, head cover, shoe cover, spunlace and spunbond non-woven fabrics.

Main products are certified by CE,ISO,SGS, we have developed excellent cooperation with around 500 overseas customers from 89 countries. Marketing network spreads many europe countries, the america, as well as asia, and so on.

Deeply trusted by customers at home and abroad, we always take quality and integrity as our business philosophy, and grow together with customers. In the future, we will continue to maintain our spirit, pursueinnovation, and provide you with the best quality products and services.





Fabric Production Workshop



Disposable Coverall Workshop

Fabric Storage

Fabric Checking

QC Inspection



Cleanroom Workshop

Product Packaging

资质荣誉 Qualifications and honors

















Sino-sms-100

















EN 1073 -2: 2002 EN 1149 -5:2018

Protection level

EN ISO 13982 -1: 2004+A1: 2010

EN 13034: 2005+A1: 2009





Specification

Material	Sms
Thickness	45-60gsm
Size	S -4xI
Color	White/blue/yellow/orange Or customized
Packaging	1pc/bag, 50pcs/ctn
Ctn size/cm	49x33x54/59(taped)

Applications

- -General manufacturing and maintenance
- -Wood sanding/Boat building
- -Construction
- -Fiberglass, resin and ceramic applications
- -Light industrial cleaning
- -Asbests/Painting spray
- -Pharmaceutical manufacture
- -General maintenance and cleaning applications
- -Scene of crime operations
- -Low hazard emergency response applications

Bonus add -on

Breathable fabrics and ergonomic style pattern help to reduce the risk of heat stress.

Excellent barrier against dry particles and certain limited liquid chemical splash (ce type

Meets inward leakage requirements of en 13034 and en 1073 - 2 for protection against nuclear particles;

Robust breathable 50gsm SMS material; 1 or 2-way zipper with storm fiap for added onoff convenience and extra protection; Elastic cuffs, waist and ankles for a better fit and freedom of movement; Low-linting

Available in white, blue, red and orange.















Sino-sms-100r









Protection level

EN ISO 13982 -1: 2004+A1: 2010 EN 13034: 2005+A1: 2009 EN 1073 -2: 2002









Specification

EN 1149-5:2018

Material	Sms
Thickness	45-60gsm
Workmanship	Stitched
Size	S -4xl
Color	White/Blue/Yellow/Orange or Customized
Packaging	1pc/bag, 50pcs/ctn
Ctn size/cm	49x33x54/59(taped)

Applications

- -General manufacturing and maintenance
- -Wood sanding/Boat building
- -Construction
- -Fiberglass, resin and ceramic applications
- -Light industrial cleaning
- -Asbests/Painting spray
- -Pharmaceutical manufacture
- -General maintenance and cleaning applications
- -Scene of crime operations
- -Low hazard emergency response applications

Bonus add -on

Breathable fabrics and ergonomic style pattern help to reduce the risk of heat stress.

Excellent barrier against dry particles and certain limited liquid chemical splash (ce type

Meets inward leakage requirements of en 13034 and en 1073-2 for protection against nuclear particles;

Robust breathable 50gsm SMS material; 1 or 2-way zipper with stormfiap for added-onoff convenience and extra protection; Elasticcuffs., waist and ankles for a better fit and freedom.of movement; Low-inting

Available in white, blue, red and orange.

Sf-sino-100























Protection level

EN ISO 13982 -1: 2004+A1: 2010 EN 13034: 2005+A1: 2009 EN 1073 -2: 2002 EN 1149 -5:2018 EN 14126: 2003+AC:2004









Specification

Material	Microporous lamination
Thickness	50-65gsm
Size	S -4xI
Workmanship	Stitched & tape sealed
Color	White
Packaging	1pc/bag, 50pcs/ctn

Area of applications

- -General manufacturing and maintenance
- -Wood sanding/Boat building
- -Construction
- -Fiberglass, resin and ceramic applications
- -Light industrial cleaning
- -Asbesto/Painting spray
- -Pharmaceutical manufacture
- -General maintenance and cleaning applications
- -Scene of crime operations
- -Low hazard emergency response applications

Bonus add-on

Breathable fabrics and ergonomic style pattern help to reduce the risk of heatstress.

Excellent barrier against dry particles, liquid

certain chemical splash and spray (ce type 5/6); Taped seams across the suit for better protection and increased durability; Soft, well-draping laminated material Biological protection tested to en 14126 1 or 2-way zipper with storm flap for added on off convenience and extra protection; Elasticcuffs, waist and ankles for a better fit and freedom of movement; Anti-static treatment to en 1149 to reduce charge build up super low -linting

Sf-sino-100s



Sf-sino-100m



Protection level

EN ISO 13982 -1: 2004+A1: 2010 EN 13034: 2005+A1: 2009

EN 1073 -2: 2002 EN 1149-5:2018

EN 14126: 2003+AC:2004









V V	V V
Material	Microporous lamination
Thickness	50-65gsm
Size	S -4xI
Workmanship	Stitched & tape sealed
Color	White/Blue/Yellow/Orange or Customized
Packaging	1pc/bag, 50pcs/ctn
Ctn size/cm	49x33x49/59(taped)

Area of applications

- -General manufacturing and maintenance
- -Wood sanding/Boat building
- -Construction
- -Protection against hazardous dusts and light splashes
- -Paint spray (non-linting surface)
- -Asbesto removal and handling
- Pharmaceutical manufacture
- Chemical spray
- Food Industry
- Clean room applications (may require additional cleaning)
- General cleaning and maintenance applications
- Protection against resins & oils

Bonus add-on

Breathable fabrics and ergonomic style pattern help to reduce the risk of heat stress.

Highly breathable back panel in blue for identification

Elastic face, waist, wrist & ankles.

Double-folded zip flap for improved zip coverage. Inset sleeve provides full freedom of movement. Two piece gusset to crotch for ease of movement. Three piece hood for better fitting around face &head. 1 or 2-way zipper with storm flap for added on off

convenience and extra protection; Elastic cuffs, waist and ankles for a better fit and

freedom of movement; Anti-static treatment to en 1149 to reduce charge build up Super low-linting

- Excellent barrier for jet spray and liquid tight chemical protection (CE Type 3/4)
- Biological / infective agent protection (EN 14126) to the maximum class
- Seams are taped with a multi layer coextruded clear tape, giving a discreet finish and a consistent seal and barrier
- Large zip for ease of use
- Elasticated cuffs with thumb loops for secure fit during overhead work
- Elasticated waist and ankles for increased comfort and freedom of movement
- Glued in waist elastic and seam free shoulders to minimise entry points etc.
- Adhesive chin flap
- Super low-linting

Type 4b/5b/6b microporous with taped coverall











Self-adhesive zip flap for increased



for a perfect fit

Flasticated waistband

Sino-5000

Material workmanship	Microporous film laminate Tape sealed	
Thickness	65gsm	
Size	S -4xl or customized	
Color	White	
Packing	1pc/bag,50pcs/ctn	
Ctn size/cm	49x33x59 cm	
Style	Elastic hood/waist/wrist/ Ankles elastic or knitted cuff With or without thumb loop 1 or 2 way zipper with adhesive Taped flap	

Protection level

EN 14605: 2005+al: 2009

EN ISO 13982 -1: 2004+A1: 2010

EN 13034: 2005+A1: 2009

EN 1073-2: 2002

EN 1149-5: 2018

EN 14126: 2003+ac: 2004







Bonus add-on
Overboots system attached to the
Suit with elastics. The overboots
Pattern ensure a fully protection
On critical areas and secure movements.

Applications

- -Pharmaceutical industry -Nuclear decommissioning
- -Asbestos treatment
- -Laboratories-Clean room Soil remediatio nand dismantling
- -Disposal of hazardous materials -Handling biologicalagent -Scene of Crime Operations
- -Hazardous infection protection
- -Chemical industry Epidemicand virús

Type 3b/4b/5b /6b chemical liquid tight coverall







Self adhesive zin

flap for increased





Flasticized waist



3-Hood pansallows much greater freedom

Sino-6000

Material	Pp pe laminated	
Workmanship	Stitched & tape sealed	
Size	S -4xl or customized	
Color	Yellow	
Packing	1pc/bag,40pcs/ctn	
Ctn size/cm	49x33x69 cm	
Style	Elastic hood/waist/wrist/ Ankles elastic or knitted cuff With or without thumb loop 1 or 2-way zipper with adhesive Taped flap	

Protection level

EN 14605: 2005+al: 2009

EN ISO 13982 -1: 2004+A1: 2010

EN 13034: 2005+A1: 2009

EN 1073-2: 2002 EN 1149-5: 2018

EN 14126: 2003+ac: 2004

Bonus add-on

Garment combines resistance pressured Jet and freedomof-movement thanks to Its special design: double zip/storm flap And knitted cuff/thumb loop.

-Industrial and chemical manufacturing

-Tank cleaning
-Waste and hazardous material disposal
-Handling infective agent Epidemic and virus -Chemical industry

Soil remediation and dismantling -Biological hazards

-Petrochemical and refining applications -Pressure Spray applications
-Oils spill clean-up

Disposable PP Coveralls

- Large zip for ease of use
- Elasticated cuffs with thumb loops for secure fit during overhead work
- Elasticated waist and ankles for increased comfort and freedom of movement
- Glued in waist elastic and seam free shoulders to minimise entry points etc
- Adhesive chin flap
- Super low-linting





Self-adhesive zip flap for increased

Elasticated waistband for a perfect fit

Sino-200pp

Material	Рр
Workmanship	Stitched
Thickness	35-60 gsm
Size	S -4xl or customized
C olor	White
Packing	1pc/bag,50pcs/ctn
Ctn size/cm	49x33x58cm
Style	Elastic hood/waist/wrist/ankles Elastic or knitted cuff with Or without thumb loop 1 or 2-way zipper with adhesive Taped flap

Bonus add-on

Overboots system attached to the suit with elastics. The overboots pattern ensure a fully protection on Critical areas and secure movements.

Applications

- -Facility visit
- -Room cleaning
- -Agriculture
- -Planting&feeding
- -General Construction






Self-adhesive zip

flap for increased









Sino-300pp

Material	Pp coverall
Workmanship	Stitched
Size	S -4xl or customized
Thickness	35-60 gsm
Color	Black/grey
Packing	1pc/bag.,40pcs/ctn
Ctn size/cm	49x33x58 cm
Style	Elastic hood/waist/wrist/ankles Elastic or knitted cuff with Or without thumb loop 1 or 2-way zipper with adhesive Taped flap

Bonus add-on

Garment combines resistance pressured jet and Freedomof-movement thanks to its special

Applications

- -Facility visit
- -Room cleaning
- -Agriculture
- -Planting&feeding
- -General Construction





Code no.	Style
А	Shirt collar, elastic cuff, snap button
В	Shirt collar, elastic cuff, velcro
С	Mandarin collar, knitted cuff, snap button
D	Mandarin collar, elastic cuff, velcro
Е	Knitted collar, knitted cuff, snap button
F	Knitted collar, knitted cuff, velcro



Isolation gown

Si	n	O.	-5	U

Sino -502

Material	28-70gsm.pp/sms/pp+pe	
Feature	Breathable, dustproof, lightweight, waterproof, tear resistant, liquid-proof	
Style	Knitting cuff/Collar with tie/Collar with hook and loop/Waist with belt	
Colour	White/bule/yellow green	
Size	S -xxxl or customized size	
Package	1pc/Polybag, 100bag/cs or as your requirement	

Reinforced surgical gown

35gsm -70gsm , sms / smms/ ssmms/spunlace,etc
Front side and sleeves
4 waist ties;with paper card to fix the waist ties ;Ultrasonic sewing
No hand towel or with 2 pcs 30*40cm paper or cotton material
No wrap or withpp 60*60cm
Blue/ green/white
S -xxxl or customized size
Disposable, eo (ethylene oxide)
Lpc/sterlized pouch or lpc/paper-plastic bag
Aami level3,aami level4, en 13795



SHOE COVERS

Sino-702



Pp shoe cover Style: machine made single elastic Material: 20-40gsm pp non- woven Color:0 c

15x40001,16x40cm17x40cm17x42cm Packing: 100pcs/bag, 2000pcs/ctn

Size:

Sino-705



Non-slip shoe cover

Style: machine made; single elastic Material: 20-40gsm pp non- woven Color:white/blue or customized Size: 15x40001,16x40cm/17x40cm;17x42cm Packing: 100pcs/bag, 2000pcs/ctn

Sino-706



Non-slip laminated shoe cover

Style: machine made; single elastic Material: pp and cpe laminated Weight: 8.5-12grams/pc Color:white/blue or customized Size: 5x40cm 16x40cm,17x40cm,17x42cm Packing: 50pcs/bag, 1000pcs/ctn

Sino-707



Pe/cpe shoe cover

Style: machine made Material: 1.5-4.5 grams/pc,cpe or pe Color: white/blue or customized Size: 15x40cm,16x40cm,17x40cm Packing: 100pcs/bag, 2000pcs/ctn

Sino-708



Cpe boot cover

Style: hand made Material: cpe or pe Color: white/blue or customized Size: 50x40cm 55x44cm Packing: 50pcs/bag, 500pcs/ctn

Sino-709



Microporous boot cover

Style: stitiched with elastic Material: pp and microporous laminated Color: white/blue or customized Size: 50x40cm 55x44cm Packing: 50pcs/bag, 500pcs/ctn

Sino-710



Pp shoe cover

Style: hand made, double elastic Material: 20-40gsm pp non-woven Color:

15x40001,16x40cm,17x40cm,17x42cm Packing: 100pcs/bag, 2000pcs/ctn

Sino-711



Pp printed shoe cover

Style: machine made; double elastic Material: 20-40gsm pp non-woven Color: white/blue or customized Size: 5x40cm 16x40cm,17x40cm,17x42cm Packing: 100pcs/bag, 2000pcs/ctn

Sino-712



Pp printed shoe cover

Style: hand made Material: 20-40gsm pp non- woven or Sms or sf laminated Color: white/blue or customized Size: 5x40cm/16x40cm/17x40cm/17x42cm Packing: 100pcs/bag, 2000pcs/ctn

Sino-715



Microporous boot cover

Style: stitiched with ties Material: pp and microporous laminated Color: white/blue or customized Size:50x40cm,55x44cm Packing: 50pcs/bag, 500pcs/ctn

Sino-716



Pp/sms boot cover

Style: stitiched with elastic or ties Material: pp non-woven or Color: white/blue or customized Size: 50x40cm; 55x44cm Packing: 50pcs/bag, 500pcs/ctn

Sino-717



Protective boot cover

Style: stitiched& tape seams or Ultrasonic with tape seams Material: pp and microporous laminated Color: white/blue or customized Size: 50x40cm; 55x44cm Packing: 10pcs/bag, 400pcs/ctn